


Your Company Name





REVISION LOG

REVISION LOG			
Issue	Date	Comment	Author
Orig			<i>7</i> 6,
			94
			NO

DOCUMENT CHANGE RECORD

DOCUMENT CHANGE RECORD				
Issue	Item	Reason for Chang	ALS .	
			\$	
		C.		

PROPRIETARY INFORMATION	This document expires 30 days after printing unless marked "Released".	Forma Davis Onia
PAGE 2 of 7	Date Printed:	Form Rev: Orig



CAGE: xxxxx

Rev: Orig

TABLE OF CONTENTS

		×0°.
1.0	PURPOSE	
2.0	THEORY	
3.0	CONFIGURATION DOCUMENTATION	
4.0	CONFIGURATION CONTROL BOARD (CCB)	
5.0	CONFIGURATION CHANGE CONTROL	
6.0	SUBCONTRACTOR AND VENDOR CHANGES	
7.0	PRODUCT AND TEST SOFTWARE CONTROL	
CC	PURPOSETHEORY CONFIGURATION DOCUMENTATIONCONFIGURATION CONTROL BOARD (CCB)CONFIGURATION CHANGE CONTROL SUBCONTRACTOR AND VENDOR CHANGES PRODUCT AND TEST SOFTWARE CONTROL	




CAGE: xxxxx

Rev: Orig

1.0 PURPOSE

This procedure defines the requirements for the management of the configuration of products produced to company's configuration management activities include the following:



This procedure has been developed based on practices defined in

3.0 CONFIGURATION DOCUMENTATION

3.1. The current configuration of a given part is identified through applicable technical documents. These may include, but are not limited to:

- •

3.2. All such technical documents are developed and approved by the Responsible Authority, which are then controlled according to this procedure. (See section 4.0)

3.3. Configuration documents and Customer intellectual property received by is the Company are


CONFIGURATION CONTROL BOARD (CCB)

4.1. Responsible Authorities (RA) serve as the Configuration Control Board, which has full authority and responsibility for

PROPRIETARY INFORMATION	This document expires 30 days after printing unless marked "Released".	Earna Barra Orrig
PAGE 4 of 7	Date Printed:	Form Rev: Orig

Your Logo	Your Company Name	QMS-02 Configuration Management Procedure
CAGE: xxxxx		Rev: Orig

4.2. CCB responsibilities include:



5.0 CONFIGURATION CHANGE CONTROL

5.1. Evaluation of a change in configuration for a deliverable item takes into consideration

5.2. All associated changes and affected hardware items or computer programs are

5.3. Types of Configuration Change

Changes to the configuration are implemented after approval of engineering changes, deviations or waivers. The definition for each is as follows:

5.3.1.	Engineering Change:			
5.3.2.	Deviation:			
5.3.3.	Waiver:			
	PROPRIETARY INFORMATION PAGE 5 of 7	This document expires 30 days after printing unless marked "Released". Date Printed:	Form Rev: Orig	

Your Logo	Your Company Name	QMS-02 Configuration Management Procedure
CAGE: xxxxx		Rev: Orig

CAGE: xxxxx

5.4. **Change Classification**

Changes in configuration are classified by the CCB as either Class I or Class II. The change classification assigned by the CCB is entered on the Engineering Order, which serves as the document to describe the proposed change and to record CCB decisions relating to the change. Proposed Class I engineering changes are

0 0 0 **~**,• Ο 0 5.4.2. Class II Changes Any change that does not fall within the Cass I definition is a Class II change. Class II changes are 5.5. **Change Implementation** 5.5.1. The Responsible Authority verifies that changes have been incorporated into affected units and 5.5.2. Superseded revision levels of electronic documents are

5.5.3. Proposed Class I engineering changes are approved by the CCB and are submitted to the Customer in the form of an Engineering Order (EO) or as required by contract. A Class I Engineering Change is not



QMS-02 Configuration Management Procedure

CAGE: xxxxx

Rev: Orig

- 5.6. Document approval is indicated by any of the following methods:
- Supplier and vendor requests for change are controlled according to the QMS-08 Harchasing dure. . • 6.0 6.1. Procedure. Copyright on the specialities, LC. Millions reserves 7.0