
# REDACTED

# Your Logo

Your Company Name





CAGE: xxxxx

## **REVISION LOG**

ISION LOG		:00.
Date	Comment	Author
		, NO
		all
		SION LOG         Date       Comment         Image: Comment in the second secon

		10 <sup>5</sup>
DOC	UMENT CH	ANGE RECORD
Issue	Item	Reason for Change
		bi.
		, C·

 Image: Control of the second secon

PROPRIETARY INFORMATION	This document expires 30 days after printing unless marked "Issued". Date Printed:	Form Rev: Orig
-------------------------	---	----------------



Rev: Orig

# **TABLE OF CONTENTS**

1.	SCOPE	
1.1	Theory	
2.	APPLICABLE DOCUMENTS	
2.1.	Company Documents	
2.2.	Reference Industry Regulations	
3.	DEFINITIONS	
4.	QUALITY MANAGEMENT SYSTEM	
4.1.	Quality System – General Requirements	
4.2.	Documentation Requirements	•••••
5.	MANAGEMENT RESPONSIBILITY	•••••
5.1.	Management Commitment	•••••
6.	RESOURCE MANAGEMENT	•••••
6.1.	RESOURCE MANAGEMENT Provision of Resources Human Resources PRODUCT REALIZATION Customer Related Processes Design and Development	•••••
6.2.	Human Resources	•••••
7.	PRODUCT REALIZATION	
7.1	Customer Related Processes	
7.2	Design and Development	• • • • • • • • • • • • •
7.3	Purchasing Production and Service Processes	
7.4		
7.5	Control of Inspection, Measuring and Testing Devices	
8.	Measurement, Analysis and Improvement.	
8.1.	Inspection and Testing	
8.2.	Monitoring and Measurement	
8.3.	Control of Nonconforming Product	
8.4	Improvement	
APP	ENDIX A	
1.	SCOPE	
1.1.	Theory	
1.2.	Application	
1.3.	Purpose	
2.	APPLICABLE DOCUMENT	
3.	REQUIREMENTS	
Copv	Purpose	
•		
$\langle \rangle$	ク	
)		

PROPRIETARY INFORMATION

### SCOPE 1.

This specification defines the additional nuclear requirements that apply only to the activities affecting nuclear product and service quality to assure that nuclear grade products are in conformance.

### **APPLICABLE DOCUMENTS** 2.

The following documents constitute a part of this specification to the extent specified herein. Unless otherwise specified the latest revision of the document and its tionts ret otherwise specified, the latest revision of the document applies.

### 2.1. **Company Documents**

**Quality Manual** 

# 2.2. Reference Industry Regulations

- A. 10CFR50 Appendix B: US NRC Regulation 10, Code of Federal Regulations Part 50, Appendix B: Quality Assurance Criteria for Nuclear Power Plants and Fuel Reprocessing Plants
- B. 10CFR21: US NRC Regulation 10, Code of Federal Regulations Part 21: Reporting Of Defects and Noncompliance
- C. ASME NQA-1: Quality Assurance Requirements for Nuclear Facility Applications
- D. ANSI/ISO/IEC 17025: General Requirements for the Competence of Testing and Calibration Laboratories
- E. ANSI/ASME Standard N45.2: Quality Assurance Program Requirements for Nuclear Facilities
- F. EPRI NP-5652: Guidelines for the Utilization of Commercial Grade Items in Nuclear Safety Related Applications
- G. IPC-A-610: Acceptability for Electronic Assemblies

### 3. DEFINITIONS


Definitions contained in the above mentioned documents and industry regulations are applicable herein.

### **QUALITY MANAGEMENT SYSTEM** 4.

# Quality System – General Requirements

nuclear product is produced or nuclear service is provided by the Company or Subcontractor, one or more of the following controls shall be exercised:





PROPRIETARY INFORMATION This document expires 30 days after printing unless marked "Issued". Date Printed: Form Rev: Orig

CAGE: xxxxx

### Rev: Orig

s.

### 7. PRODUCT REALIZATION

Orders for nuclear products shall be processed through the Contracts department. This function shall be processed through the Contracts department.

(See Proposal Development and Contract Review Procedure)

### 7.2 **Design and Development**

Independent verification is accomplished through

### Purchasing 7.3

Quality personnel are responsible for

### Production and Service Processes 7.4

- A. A unique identification number shall
- B. Industry specification IPC-A-610 is used when

### Control of Inspection, Measuring and Testing Devices 7.5

- A. The calibration of inspection, measuring and test equipment shall
- B. With regard to safety related products, measuring and test equipment (M&TE) calibration requirements apply to
- C. Calibration service suppliers that are used in support of dedicated measuring and test equipment shall

		vely, suppliers of						
· · · · ·	National	Voluntary Labora	atory Accre	ditation Prog	gram (NVLAI	P) or the	American	Association for
2	Laborator	y Accreditation	(A2LA) m	nay				
$\mathcal{A}$ ,		provided each o	of the follow	ing condition	ns are met:			
$\mathbf{O}$	1.							
	•							



# 8.2. Monitoring and Measurement

Auditors performing audits of the nuclear product line are qualified according to the Company's training program.

# 8.3. Control of Nonconforming Product

See Appendix A

# 8.4 Improvement

The Company Quality Manager is responsible for

Copyright © JnF Specialties, LLC. All rights reserved worldwide. www.quality-control-plan.com/copyright.htm

PROPRIETARY INFORMATION	This document expires 30 days after printing unless marked "Issued".	Form Rev: Orig
FROFRIETART INFORMATION	Date Printed:	Form Rev: Orig



0

**Rev:** Orig

Form Rev: Orig

# APPENDIX A

### 1. SCOPE

### 1.1. Theory

ridwide To provide guidance for the Company and Subcontractors that supply products and/or services to the nuclear industry in compliance with the requirements outlined in the United States Nuclear Regulatory Commission (USNRC) Rules and Regulations 10CFR21, Reporting of Defects and Noncompliance. The primary objective of this guideline is to

# 1.2. Application

- A. This document implements the nuclear product investigation, evaluation and reporting procedures necessary for conformance with 10CFR21.
- B. The Company and Subcontractors shall have a local procedure documenting the process for investigating, evaluating and reporting 10CFR21 issues. The procedure should address at a minimum:
  - 1. 2.


  - 3.

(See Control of Nonconforming Product Procedure)

### 1.3. Purpose


PROPRIETARY INFORMATION

The regulations in this part establish procedures and requirements for implementation of section 206 of the Energy Reorganization Act of 1974. That section requires



This document expires 30 days after printing unless marked "Issued".

**Date Printed:** 



- appropriate Regional Administrator at the address specified in appendix D to part 20 of this chapter. (56 FR 36089, July 31, 1991)
- C. Posting requirements:
  - 1. Each individual, partnership, corporation, dedicating entity or other entity subject to the regulations in this part shall post current copies of:
    - (i) (ii) (iii)
  - 2. These documents must be posted in a conspicuous position on any premises within the United States where the activities subject to this part are conducted.

C


- 3. If posting of the regulations in this part or the procedures adopted pursuant to the regulations in this part is not practicable, the licensee or firm,
- 4.


NOTE: Each provider may develop specific postings as long as they comply with the requirements of 10CFR21.

D. Exemptions:

The Commission may, upon application of any interested person or upon its own initiative,

- E. Notification
- 1. Each and vidual, corporation, partnership, dedicating entity or other entity subject to the regulations in this part shall adopt appropriate procedures to:





PROPRIETARY INFORMATION This document expires 30 days after printing unless marked "Issued". Date Printed:	Form Rev: Orig
--	----------------

Your Logo	Your Company Name	Quality Supplement
CAGE: xxxxx		Rev: Orig
(vi)		
(vii)		
(viii)		
e. The Responsible Authority	may authorize an individual to pr	rovide
		2
4. Individuals subject to this part r	may be required	
F. Records:		
	orporation, partnership, dedicating	entity or other entity subject to the
regulations in this part shall		
2. Maintenance and inspection of a	records - Each individual, corpora	tion, partnership, dedicating entity
or other entity subject to the reg	gulations in this part shall	
a.	¢	
	51	
b.		
с.		
3. Each individual, corporation, part this part shall	rtnership, dedicating entity or other	r entity subject to the regulations in
this part shan		
G. Enforcement:		
1. Failure to Notify:		
<ol> <li>Farure to Notify:</li> <li>Any Responsible Authority</li> <li>b.</li> </ol>	of an entity (including dedicating	enuty)
		shall
b.		
	This document expires 30 days after printir	a unloss marked "Issued"

Your Logo	Your Company Name	Quality Supplement
CAGE: xxxxx		Rev: Orig
с.		
2. Criminal Penalties:		
a.		
		2
b.		
		S
Authority: Sec. 161, 68 Stat. 948, as amend 2951, 2953 (42 U.S.C. 2201, 2282, 2297f);		
(42 U.S.C. 5841, 5846).		,
Section 21.2 also issued under secs. 135, 14	11 Pub I 07 425 06 St	ot 2222 2241 (A2 USC 10155
10161).	+1, Fub. E. 977 423, 90 St	at. 2252, 2241 (42 0.5.C. 10155,
Source: 42 FR 28893, June 6, 1977, unless of	therwise noted.	
C	<b>2</b> <sup>1</sup>	
Copyright © JnF Specialties, LLC. All rights reserved worldv	vide. www.quality-control-plan.com/	copyright.htm
S		
$\odot$	Ad	d to Cart
N <sup>1</sup>	7.0	
Copyright © JnF Specialties, LLC. All rights reserved would		
*		
		1 1 1 117 10 1
PROPRIETARY INFORMATION This do	ocument expires 30 days after printing	g unless marked "Issued". Date Printed: Form Rev: Orig